# Geotechnical Testing Journal
# Author Index
# Volume 25, 2002

| Number | Month of Issue | Pages |
|---|---|---|
| 1 | March | 1–110 |
| 2 | June | 111–225 |
| 3 | September | 227–348 |
| 4 | December | 349–462 |


A

**Abdullah, WS:** Bidimensional Swell Effect on Accuracy of Footing Heave Prediction, June, 177

**Abrantes, AE and Yamamuro, JA:** Experimental and Data Analysis Techniques Used for High Strain Rate Tests on Conhesionless Soil, June, 128

Al-Abdul Wahhab, HI: *see* Asi, IM, Al-Abdul Wahhab, HI, Al-Amoudi, OSB, Khan, MI, and Siddiqi, Z

Al-Amoudi, OSB: *see* Asi, IM, Al-Abdul Wahhab, HI, Al-Amoudi, OSB, Khan, MI, and Siddiqi, Z

Allen, S: *see* Sprague, CJ, Carver, CA, and Allen, S

**Al-Rawas, AA, Taha, R, Nelson, JD, Al-Shab, TB, and Al-Siyabi, H:** A Comparative Evaluation of Various Additives Used in the Stabilization of Expansive Soils, June, 199

Al-Shab, TB: *see* Al-Rawas, AA, Taha, R, Nelson, JD, Al-Shab, TB, and Al-Siyabi, H

AlShawawreh, NK: *see* Mohamed, AMO, Said, RA, and AlShawawreh, NK

Al-Siyabi, H: *see* Al-Rawas, AA, Taha, R, Nelson, JD, Al-Shab, TB, and Al-Siyabi, H

**AnhDan, L, Koseki, J, and Sato, T:** Comparison of Young's Moduli of Dense Sand and Gravel Measured by Dynamic and Static Methods, Dec., 349

**Asi, IM, Al-Abdul Wahhab, HI, Al-Amoudi, OSB, Khan, MI, and Siddiqi, Z:** Stabilization of Dune Sand Using Foamed Asphalt, June, 168

**Aversa, S and Nicotera, MV:** A Triaxial and Oedometer Apparatus for Testing Unsaturated Soils, March, 3

Aydin, A: *see* Wen, B, Aydin, A, and Duzgoren-Aydin, NS

B

Bergeson, KL: *see* White, DJ and Bergeson, KL

**Blewett, J and Woodward, PK:** Shear-Wave Velocity to Determine Vertical Stress Share on Column-Sand Samples, June, 148

**Bowders, JJ, Neupane, D, and Loehr, JE:** Sidewall Leakage in Hydraulic Conductivity Testing of Asphalt Concrete Specimens, June, 210

Brooker, PI: *see* Jaksa, MB, Kaggwa, WS, and Brooker, PI

Brunet, G: *see* di Pietro, P and Brunet, G

Burland, JB: *see* Standing, JR and Burland, JB

**Burns, SE and Mayne, PW:** Interpretation of Seismic Piezocone Results for the Estimation of Hydraulic Conductivity in Clays, Sept., 333

C

Carver, CA: *see* Sprague, CJ, Carver, CA, and Allen, S

**Cerato, AB and Lutenegger, AJ:** Determination of Surface Area of Fine-Grained Soils by the Ethylene Glycol Monoethyl Ether (EGME) Method, Sept., 314

Charlie, WA: *see* Veyera, GE, Charlie, WA, and Huber, ME

Cook, F: *see* Rassam, DW and Cook, F

Coop, MR: *see* Klotz, EU and Coop, MR

D

**DeJong, JT and Frost, JD:** A Multisleeve Friction Attachment for the Cone Penetrometer, June, 111

**di Pietro, P and Brunet, G:** Design Considerations Related to the Performance of Erosion Control Products Combined with Soil Bioengineering Techniques, June, 142

**Dowding, CH, Summers, JA, Taflove, A, and Kath, WL:** Electromagnetic Wave Propagation Model for Differentiation of Geotechnical Disturbances along Buried Cables, Dec., 449

Duzgoren-Aydin, NS: *see* Wen, B, Aydin, A, and Duzgoren-Aydin, NS

F

Fang, CK: *see* Huang, AB, Fang, CK, Liao, JJ, and Pan, YW

Fannin, RJ: *see* Hameiri, A and Fannin, RJ

**Feng, M, Fredlund, DG, and Shuai, F:** A Laboratory Study of the Hysteresis of a Thermal Conductivity Soil Suction Sensor, Sept., 302

**Feng, TW:** Effects of Small Cement Content on Consolidation Behavior of a Lacustrine Clay, March, 53

**Feng, TW:** Discussion on 'Percussion and Cone Methods of Determining the Liquid Limit of Soils: Controlling Mechanisms' by A. Sridharan and K. Prakash, March, 104

Fredlund, DG: *see* Feng, M, Fredlund, DG, and Shuai, F

Frost, JD: *see* DeJong, JT and Frost, JD

G

**Garga, VK and Sedano, JI:** Steady State Strength of Sands in a Constant Volume Ring Shear Apparatus, Dec., 414

Goh, TL: *see* Tan, TS, Goh, TL, and Yong, KY

Gucbilmez, E: *see* Nalbantoglu, Z and Gucbilmez, E

H

Haberfield, CM: *see* Seidel, JP and Haberfield, CM

**Hameiri, A and Fannin, RJ:** A Cyclic Gradient Ratio Test Device, Sept., 265

He, L: *see* Leong, EC, He, L, and Rahardjo, H

**Huang, AB, Fang, CK, Liao, JJ, and Pan, YW:** Development of a Multiple-Purpose Borehole Testing Device for Soft Rock, Sept., 226

Huber, ME: *see* Veyera, GE, Charlie, WA, and Huber, ME

I

**Ibsen, LB and Praastrup, U:** The Danish Rigid Boundary True Triaxial Apparatus for Soil Testing, Sept., 253

J

**Jaksa, MB, Kaggwa, WS, and Brooker, PI:** An Improved Statistically Based Technique for Evaluating the CPT Friction Ratio, March, 61

K

Kaggwa, WS: *see* Jaksa, MB, Kaggwa, WS, and Brooker, PI

Kath, WL: *see* Dowding, CH, Summers, JA, Taflove, A, and Kath, WL

**Kechavarzi, C and Soga, K:** Determination of Water Saturation Using Miniature Resistivity Probes During Intermediate Scale and Centrifuge Multiphase Flow Laboratory Experiments, March, 95

**Ketchart, K and Wu, JTH:** A Modified Soil-Geosynthetic Interactive Performance Test for Evaluating Deformation Behavior of GRS Structures, Dec., 405

Khan, MI: *see* Asi, IM, Al-Abdul Wahhab, HI, Al-Amoudi, OSB, Khan, MI, and Siddiqi, Z

Kim, JH: *see* Lee, IM, Kim, JH, and Reddi, LN

Kjartanson, BH: *see* Yang, S, Lohnes, RA, and Kjartanson, BH

**Klotz, EU and Coop, MR:** On the Identification of Critical State Lines for Sands, Sept., 288

Koseki, J: *see* AnhDan, L, Koseki, J, and Sato, T

Kruzic, AP: *see* Puppala, AJ, Viyanant, C, Kruzic, AP, and Perrin, L

L

**Lee, IM, Kim, JH, and Reddi, LN:** Clogging Phenomena of the Residual Soil-Geotextile Filter System, Dec., 379

**Leong, EC, He, L, and Rahardjo, H:** Factors Affecting the Filter Paper Method for Total and Matric Suction Measurements, Sept., 321

Liao, JJ: *see* Huang, AB, Fang, CK, Liao, JJ, and Pan, YW

Lim, SL: *see* Zeng, X and Lim, SL

Liu, SH: *see* Matsuoka, H, Liu, SH, Sun, DA, and Nishikata, U

Loehr, JE: *see* Bowders, JJ, Neupane, D, and Loehr, JE

Lohnes, RA: *see* Yang, S, Lohnes, RA, and Kjartanson, BH

**Long, M:** The Quality of Continuous Soil Samples, Sept., 233

Lutenegger, AJ: *see* Cerato, AB and Lutenegger, AJ

M

**Matsuoka, H, Liu, SH, Sun, DA, and Nishikata, U:** Closure, Sept., 343

Mayne, PW: *see* Burns, SE and Mayne, PW

**Mirata, T:** Discussion on "Development of a New In-Situ Direct Shear Test" by H. Matsuoka, S. Liu, D. Sun, and U. Nishikata, Sept., 341

**Mohamed, AMO, Said, RA, and AlShawawreh, NK:** Development of a Methodology for Evaluating Subsurface Concentrations of Pollutants Using Electrical Polarization Technique, June, 157

N

**Nalbantoglu, Z and Gucbilmez, E:** Utilization of an Industrial Waste in Calcareous Expansive Clay Stabilization, March, 78

Nelson, JD: *see* Al-Rawas, AA, Taha, R, Nelson, JD, Al-Shab, TB, and Al-Siyabi, H

Neupane, D: *see* Bowders, JJ, Neupane, D, and Loehr, JE

Nicotera, MV: *see* Aversa, S and Nicotera, MV

Nishikata, U: *see* Matsuoka, H, Liu, SH, Sun, DA, and Nishikata, U

P

Pan, YW: *see* Huang, AB, Fang, CK, Liao, JJ, and Pan, YW

Perrin, L: *see* Puppala, AJ, Viyanant, C, Kruzic, AP, and Perrin, L

Pincus, HJ: *see* Pincus, HJ

Praastrup, U: *see* Ibsen, LB and Praastrup, U

Prakash, K: *see* Sridharan, A and Prakash, K *see* Sridharan, A and Prakash, K

**Puppala, AJ, Viyanant, C, Kruzic, AP, and Perrin, L:** Evaluation of a Modified Soluble Sulfate Determination Method for Fine-Grained Cohesive Soils, March, 85

R

Rahardjo, H: *see* Leong, EC, He, L, and Rahardjo, H

**Rassam, DW and Cook, F:** Predicting the Shear Strength Envelope of Unsaturated Soils, June, 215

Reddi, LN: *see* Lee, IM, Kim, JH, and Reddi, LN

Rowe, RK: *see* Scholte, JW, Shang, JQ, and Rowe, RK

S

Said, RA: *see* Mohamed, AMO, Said, RA, and AlShawawreh, NK

Sato, T: *see* AnhDan, L, Koseki, J, and Sato, T

**Scholte, JW, Shang, JQ, and Rowe, RK:** Improved Complex Permittivity Measurement and Data Processing Technique for Soil-Water Systems, June, 187

Sedano, JI: *see* Garga, VK and Sedano, JI

**Seidel, JP and Haberfield, CM:** Laboratory Testing of Concrete-rock Joints in Constant Normal Stiffness Direct Shear, Dec., 391

Shang, JQ: *see* Scholte, JW, Shang, JQ, and Rowe, RK

Shuai, F: *see* Feng, M, Fredlund, DG, and Shuai, F

Siddiqi, Z: *see* Asi, IM, Al-Abdul Wahhab, HI, Al-Amoudi, OSB, Khan, MI, and Siddiqi, Z

Soga, K: *see* Kechavarzi, C and Soga, K

**Sprague, CJ, Carver, CA, and Allen, S:** Development of RECP Performance Test Methods, Dec., 369

**Sridharan, A and Prakash, K:** Closure, March, 106

**Sridharan, A and Prakash, K:** Permeability of Two-Layer Soils, Dec., 443

**Standing, JR and Burland, JB:** A Miniature Soil Inclusion for Measuring Axial Force and Radial Stress, March, 16

Summers, JA: *see* Dowding, CH, Summers, JA, Taflove, A, and Kath, WL

Sun, DA: *see* Matsuoka, H, Liu, SH, Sun, DA, and Nishikata, U

T

Taflove, A: *see* Dowding, CH, Summers, JA, Taflove, A, and Kath, WL

Taha, R: *see* Al-Rawas, AA, Taha, R, Nelson, JD, Al-Shab, TB, and Al-Siyabi, H

**Tan, TS, Goh, TL, and Yong, KY:** Properties of Singapore Marine Clays Improved by Cement Mixing, Dec., 422

V

**Veyera, GE, Charlie, WA, and Huber, ME:** One-Dimensional Shock-Induced Pore Pressure Response in Saturated Carbonate Sand, Sept., 276

Viyanant, C: *see* Puppala, AJ, Viyanant, C, Kruzic, AP, and Perrin, L

W

**Wen, B, Aydin, A, and Duzgoren-Aydin, NS:** A Comparative Study of Particle Size Analyses by Sieve-Hydrometer and Laser Diffraction Methods, Dec., 434

**White, DJ and Bergeson, KL:** Empirical Performance Classification for Cohesive Embankment Soils, March, 70

Woodward, PK: *see* Blewett, J and Woodward, PK

Wu, JTH: *see* Ketchart, K and Wu, JTH

Y

Yamamuro, JA: *see* Abrantes, AE and Yamamuro, JA

**Yang, S, Lohnes, RA, and Kjartanson, BH:** Mechanical Properties of Shredded Tires, March, 44

**Yin, JH:** Stress-Strain Strength Characteristics of a Marine Soil with Different Clay Contents, Dec., 459

Yong, KY: *see* Tan, TS, Goh, TL, and Yong, KY

Z

**Zeng, X and Lim, SL:** The Influence of Variation of Centrifugal Acceleration and Model Container Size on Accuracy of Centrifuge Test, March, 24

# Geotechnical Testing Journal
# Subject Index
# Volume 25, 2002


A

**Accuracy**
The Influence of Variation of Centrifugal Acceleration and Model Container Size on Accuracy of Centrifuge Test (Zeng, X and Lim, SL), March, 24

**Asphalt concrete**
Sidewall Leakage in Hydraulic Conductivity Testing of Asphalt Concrete Specimens (Bowders, JJ, Neupane, D, and Loehr, JE), June, 210

B

**Borehole test**
Development of a Multiple-Purpose Borehole Testing Device for Soft Rock (Huang, AB, Fang, CK, Liao, JJ, and Pan, YW), Sept., 226

C

**Calibration**
A Triaxial and Oedometer Apparatus for Testing Unsaturated Soils (Aversa, S and Nicotera, MV), March, 3

**Capacitance**
Development of a Methodology for Evaluating Subsurface Concentrations of Pollutants Using Electrical Polarization Technique (Mohamed, AMO, Said, RA, and AlShawawreh, NK), June, 157

**Cement**
Effects of Small Cement Content on Consolidation Behavior of a Lacustrine Clay (Feng, TW), March, 53

**Cohesion**
Experimental and Data Analysis Techniques Used for High Strain Rate Tests on Conhesionless Soil (Abrantes, AE and Yamamuro, JA), June, 128

**Cohesive soils**
Empirical Performance Classification for Cohesive Embankment Soils (White, DJ and Bergeson, KL), March, 70

D

**Dielectrics**
Improved Complex Permittivity Measurement and Data Processing Technique for Soil-Water Systems (Scholte, JW, Shang, JQ, and Rowe, RK), June, 187

**Direct shear test**
Laboratory Testing of Concrete-rock Joints in Constant Normal Stiffness Direct Shear (Seidel, JP and Haberfield, CM), Dec., 391

**Drainage**
Permeability of Two-Layer Soils (Sridharan, A and Prakash, K), Dec., 443

E

**Erosion**
Design Considerations Related to the Performance of Erosion Control Products Combined with Soil Bioengineering Techniques (di Pietro, P and Brunet, G), June, 142

**Expansive soils**
Bidimensional Swell Effect on Accuracy of Footing Heave Prediction (Abdullah, WS), June, 177

F

**Filter paper**
Factors Affecting the Filter Paper Method for Total and Matric Suction Measurements (Leong, EC, He, L, and Rahardjo, H), Sept., 321

**Fine-grained soils**
Determination of Surface Area of Fine-Grained Soils by the Ethylene Glycol Monoethyl Ether (EGME) Method (Cerato, AB and Lutenegger, AJ), Sept., 314

**Fly ash**
Utilization of an Industrial Waste in Calcareous Expansive Clay Stabilization (Nalbantoglu, Z and Gucbilmez, E), March, 78

**Friction**
Stress-Strain Strength Characteristics of a Marine Soil with Different Clay Contents (Yin, JH), Dec., 459

G

**Geosynthetic**
A Modified Soil-Geosynthetic Interactive Performance Test for Evaluating Deformation Behavior of GRS Structures (Ketchart, K and Wu, JTH), Dec., 405

**Gradient ratio test**
A Cyclic Gradient Ratio Test Device (Hameiri, A and Fannin, RJ), Sept., 265

**Gravel**
Comparison of Young's Moduli of Dense Sand and Gravel Measured by Dynamic and Static Methods (AnhDan, L, Koseki, J, and Sato, T), Dec., 349

H

**Hydraulic conductivity**
Interpretation of Seismic Piezocone Results for the Estimation of Hydraulic Conductivity in Clays (Burns, SE and Mayne, PW), Sept., 333

L

**Laboratory testing**
A Miniature Soil Inclusion for Measuring Axial Force and Radial Stress (Standing, JR and Burland, JB), March, 16

Steady State Strength of Sands in a Constant Volume Ring Shear Apparatus (Garga, VK and Sedano, JI), Dec., 414

M

**Matric suction**
Predicting the Shear Strength Envelope of Unsaturated Soils (Rassam, DW and Cook, F), June, 215

P

**Particle-size analysis**
A Comparative Study of Particle Size Analyses by Sieve-Hydrometer and Laser Diffraction Methods (Wen, B, Aydin, A, and Duzgoren-Aydin, NS), Dec., 434

**Penetrometers**
A Multisleeve Friction Attachment for the Cone Penetrometer (DeJong, JT and Frost, JD), June, 111

R

**Resistivity**
Determination of Water Saturation Using Miniature Resistivity Probes During Intermediate Scale and Centrifuge Multiphase Flow Laboratory Experiments (Kechavarzi, C and Soga, K), March, 95

**Rock**
Electromagnetic Wave Propagation Model for Differentiation of Geotechnical Disturbances along Buried Cables (Dowding, CH, Summers, JA, Taflove, A, and Kath, WL), Dec., 449

S

**Sand**
Stabilization of Dune Sand Using Foamed Asphalt (Asi, IM, Al-Abdul Wahhab, HI, Al-Amoudi, OSB, Khan, MI, and Siddiqi, Z), June, 168

**Sands**
Discussion on 'Percussion and Cone Methods of Determining the Liquid Limit of Soils: Controlling Mechanisms by A. Sridharan and K. Prakash (Feng, TW), March, 104

**Shear wave velocity**
Shear-Wave Velocity to Determine Vertical Stress Share on Column-Sand Samples (Blewett, J and Woodward, PK), June, 148

**Slope**
Development of RECP Performance Test Methods (Sprague, CJ, Carver, CA, and Allen, S), Dec., 369

**Soil**
An Improved Statistically Based Technique for Evaluating the CPT Friction Ratio (Jaksa, MB, Kaggwa, WS, and Brooker, PI), March, 61

Clogging Phenomena of the Residual Soil-Geotextile Filter System (Lee, IM, Kim, JH, and Reddi, LN), Dec., 379

**Soil sampling**
The Quality of Continuous Soil Samples (Long, M), Sept., 233

**Soil suction sensor**
A Laboratory Study of the Hysteresis of a Thermal Conductivity Soil Suction Sensor (Feng, M, Fredlund, DG, and Shuai, F), Sept., 302

**Soils**
On the Identification of Critical State Lines for Sands (Klotz, EU and Coop, MR), Sept., 288

**Stiffness**
Properties of Singapore Marine Clays Improved by Cement Mixing (Tan, TS, Goh, TL, and Yong, KY), Dec., 422

**Sulfates**
Evaluation of a Modified Soluble Sulfate Determination Method for Fine-Grained Cohesive Soils (Puppala, AJ, Viyanant, C, Kruzic, AP, and Perrin, L), March, 85

**Swelling**
A Comparative Evaluation of Various Additives Used in the Stabilization of Expansive Soils (Al-Rawas, AA, Taha, R, Nelson, JD, Al-Shab, TB, and Al-Siyabi, H), June, 199

T

**Tire chips**
Mechanical Properties of Shredded Tires (Yang, S, Lohnes, RA, and Kjartanson, BH), March, 44

**True triaxial tests**
The Danish Rigid Boundary True Triaxial Apparatus for Soil Testing (Ibsen, LB and Praastrup, U), Sept., 253

V

**Vibrations**
One-Dimensional Shock-Induced Pore Pressure Response in Saturated Carbonate Sand (Veyera, GE, Charlie, WA, and Huber, ME), Sept., 276